


Grating Tasmania




Perforated Metal




www.gratingtasmania.com.au

14mm dia holes Safe-T-Perf




#J000 14mm dia holes 2.5mm M/Steel
* #J015 14mm dia holes 2mm 304 S/Steel
13% open area

19mm dia holes Safe-T-Perf



#B653 19mm dia holes 3mm 5052 Aluminium
23% open area

Club and Round




Part No. F10236ZA0873 0.80mm thick
2083mm x 900mm Zincaneal
F10236MS12 1.2mm thick M/Steel
2400mm x 1200mm
36% open area


Other products that we stock




Galvanised Animal Flooring




Stainless Steel, Brass and Galvanised Woven Wire




Stainless Steel and Galvanised Welded Wire



Screens (made to order)




Gripspan Walkway Planks - 6 metres long



Expanded Metals



Stanchions and Handrails



Welded Grating

Colorbond Gutter Guard - 25 Year Warranty Premoulded




Quality Colorbond steel meets all Council Fire regulations. Available in the Full Colorbond Range. Comes as a D.I.Y. kit or Free Measure and Quote on Installation.

Stock Items

Special sheets made to order - Please Enquire!!


- All dimensions are in millimetres
- Sheet sizes indicated are nominal only
- All sheets nominally 2400 x 1200 unless listed otherwise
- * Stainless Steel Sheets
- Ends of sheets are cut through perforations

2.06mm dia holes x 3.10mm centres




Part No. R02141ZS05 / G045
0.5mm Z/Seal
Part No. R02040MS10 / G040
1.00mm M/Steel
* Part No. R02141S409 / H105-1
0.9mm thick 304 S/Steel
41% open area

2.41mm dia holes x 3.66mm centres




Part No. R02440MS06 / G050
0.60mm thick M/Steel
Part No. R02440MS10 / G060
1.00mm thick M/Steel
Part No. R02440GB16
1.6mm thick Galvabond
40% open area

2.38mm dia holes Acoustic.




Part No. R02411GB06 / G110
2400mm x 1200mm
0.55mm thick Galvabond
2400mm x 1200mm 0.8 Aluminium
170m Coils 1200mm wide
Can be made up to 1.6mm thick
11% open area

3.25mm dia holes x 6.10mm centres




Part No. R03325MS30 / G180
3.00mm thick M/Steel
25% open area

3.97mm dia holes x 5.59mm centres




Part No. R04046MS16 / G190-1
1.60mm thick M/Steel
46% open area

4.76mm dia holes x 6.35mm centres




Part No. R04851MS10 / G200 - 1.00mm M/Steel
Part No. R04851GB10 / G202 - 1.00mm G/Bond
Part No. R04851MS16 / G210 - 1.60mm M/Steel
Part No. R04851GB16 / G212 - 1.60mm G/Bond
Part No. R04851A510 - 1.0mm Aluminium
Part No. R04851A516 - 1.6mm Aluminium
* Part No. R04851S615 / 213 1.5mm 316 S/Steel
* Part No. R04851S409 / H125-1 0.9mm 304 S/Steel
* Part No. R04851S415 / H130-1 1.5mm 304 S/Steel
51% open area

9.53mm dia holes x 14.27mm centres




Part No R09540MS16 / G280
1.60mm thick M/Steel
Part No R09540GB16 / G282
1.60mm thick G/Bond
Part No. R09540MS30 / G290
3.00mm thick M/Steel
Part No. R09540A520 / G286
2mm thick 5052 Aluminium
* Part No. R09540S415 / H136-1
1.5mm thick 304 S/Steel
40% open area

12.70mm dia holes x 17.27mm centres




Part No. R12749MS16 / G300
1.60mm thick M/Steel
Part No. R12749MS30 / G320
3.00mm thick M/Steel
Part No. R12748MS60
6.00mm thick M/Steel
* Part No. R12749S415 / H140-1
1.5mm thick 304 S/Steel
49% open area

19.05mm dia holes x 25.40mm centres




Part No. R19151MS30 / G330
3.0mm thick M/Steel
51% open area

25.4mm dia holes x 35mm centres




Part No. R25448MS30
3.0mm thick M/Steel
48% open area

11.11mm sq holes x 15.88mm centres



Part No. S11149MS10 / G450
1.00mm thick M/Steel
Part No. S11149MS16 / G460
1.60mm thick M/Steel
49% open area

19.05mm x 3.18mm slots,
parallel to 900mm.



Part No. L19141MS1063 / G600
1.00mm thick M/Steel
1800mm x 900mm only
41% open area

25.40mm x 6.35mm slots,
parallel to 2400mm.



Part No. L25443MS10 / G610
1.00mm thick. M/Steel
43% open area
Other slot sizes and material
thicknesses available

9.53mm Hex holes x 11.89mm centres



Part No. H09564MS12 / G500
1.20mm thick M/Steel
64% open area

Grating Tasmania

Head Office, Derwent Park - Phone. 03 6272 2100 Mobile. 0408 136 668 Fax. 03 6272 2200

Perforated Metal Outlets

Devonport - Mersey Sheetmetal - Phone. 03 6424 4399 Fax. 03 6424 5791


Burnie - Newman's Metalfab - Phone. 03 6431 4766 Fax. 03 6431 6811

Stock Items

Special sheets made to order - Please Enquire!!


- All dimensions are in millimetres
- Sheet sizes indicated are nominal only
- All sheets nominally 2400 x 1200 unless listed otherwise
- * Stainless Steel Sheets
- Ends of sheets are cut through perforations

0.81mm dia holes x 1.40mm centres




Part No. R00831MS0663 / G010
0.60mm thick M/Steel
1800mm x 900mm only
31% open area

1.6mm dia holes x 2.54mm centres




Part No. R01636MS08 / G020
2400mm x 1200mm 0.8mm M/Steel
Part No. R01636GB0873 / G016
2050mm x 915mm x 0.8mm G/Bond
* Part No. R01636S407 / H100-1
0.7mm thick 304 S/Steel
36% open area

1.6mm dia holes x 3.2mm centres




Part No. R01623MS12 / G030
1.20mm thick M/Steel
23% open area

3.25mm dia holes x 4.52mm centres




Part No. R03346MS10 / G130
1.00mm thick M/Steel
* Part No. R03346S409 / H110-1
0.9mm thick. 304 S/Steel
46% open area

3.25mm dia holes x 4.78mm centres




Part No. R03341MS20 / G140
2.00mm thick M/Steel
* Part No. R03342S61563 / H155
1.5mm thick 316 S/Steel
1800mm x 900mm
41% open area

3.17mm dia holes x 5.56mm centres




Part No. R03230GB06 / G154 0.55mm G/Bond
Part No. R03230MS10 / G160 1.00mm M/Steel
Part No. R03230MS16 / G170 1.60mm M/Steel
Part No. R03230GB16 / B330 1.60mm G/Bond
Part No. R03230A516 / 1.60mm Aluminium
* Part No. R03230S415 / H120-1
1.5mm Thick 304 S/Steel
2400mm x 1200mm
30% open area

4.76mm dia holes x 7.92mm centres




Part No. R04833MS30 / G220
3.00mm thick M/Steel
33% open area

6.35mm dia holes x 8.89mm centres




Part No. R06446MS10 / G230
1.00mm thick M/Steel
46% open area

6.35mm dia holes x 9.53mm centres




Part No. R06440MS16 / G240
1.60mm thick M/Steel
Part No. R06440MS30 / G250
3.00mm thick M/Steel
Part No. R06440MS60
6mm thick M/Steel
* Part No. R06440S415 / H134-1
1.5mm thick 304 S/Steel
40% open area

7.94mm dia holes x 9.55mm centres




Part No. R07962MS16 / G260
1.60mm thick M/Steel
Part No. R07962GB16 / G262
1.60mm thick G/Bond
Part No. R07962MS20 / G270
2.00mm thick M/Steel
62% open area

4.76mm sq holes x 6.99mm centres




Part No. S04847MS0863 / G400
0.80mm thick M/Steel
1800 x 900mm
47% open area

5.56mm sq holes on diag.
x 12.70mm centres




Part No. D05619MS0864 / G420
1800mm x 1200mm
Part No. D05619MS0883 / G410
2400mm x 900mm M/Steel
Part No. D05619MS08 / G425
2400mm x 1200mm
0.80mm thick M/Steel
19% open area

6.35mm sq holes x 7.62mm centres




Part No. S06469MS1064 / G430
1.00mm thick M/Steel
1800mm x 1200mm
69% open area

7.94mm sq holes x 11.43mm centres




Part No. S07948A51083 / GMP 436
1.00mm Alum.
2400mm x 900mm
Part No. S07948MS10 / G440
1.00mm thick M/Steel
2400mm x 1200mm
48% open area


Decorative Stainless Steel



AN5	
Thickness	0.6 & 1.2 mm
Sheet Size	2438 x 1250 mm




AN6	
Thickness	1.2 mm
Sheet Size	2438 x 1250 mm



DEC01	
Thickness	0.6 mm
Sheet Size	2438 x 1250 mm



DEC04	
Thickness	0.6 mm
Sheet Size	2438 x 1250 mm



DEC06	
Thickness	0.6 mm
Sheet Size	2438 x 1250 mm



DEC011	
Thickness	0.6 mm
Sheet Size	2438 x 1250 mm



DEC015	
Thickness	0.6 mm
Sheet Size	2438 x 1250 mm



DEC016	
Thickness	1.2 mm
Sheet Size	2438 x 1250 mm



DEC017	
Thickness	1.2 mm
Sheet Size	2438 x 1250 mm



DEC019	
Thickness	1.2 mm
Sheet Size	2438 x 1250 mm



1LTH	
Thickness	0.61 mm
Sheet Size	2438 x 1219 mm



2WL	
Thickness	0.61 mm
Sheet Size	2438 x 914 mm




3ND	
Thickness	0.61 mm
Sheet Size	2438 x 914 mm




AN6 PCL	
Thickness	0.6 & 1.2 mm
Sheet Size	2438 x 1250 mm



6SL	
Thickness	0.61 mm
Sheet Size	2438 x 914 mm



Grating Tasmania



Phone. 03 6272 2100

Mobile. 0408 136 668

Fax. 03 6272 2200

Email. sales@gratingtasmania.com.au

Website. www.gratingtasmania.com.au

46 Derwent Park Road, Derwent Park Tasmania 7009

Fibreglass Reinforced Plastic Grating

Corrosion Resistant
Fire Resistant

Non-Sparking
Non-Conductive


Non-Magnetic
Low Thermal Conductivity




Stair tread nosings



Mini mesh




Drainage grates cut to size




Stair tread nosing



Stair treads (custom cut)



4mm Gritted flat sheet Perforated 4mm sheet



FRP pultruded products

Excellent Grip

Won't Rust

Lighter than Steel

Applications: Marine service, Sewage Treatment Plants, Petrol Refineries, Chemical Plants, Pulp Mills, Mining, Industrial Sites, Public Walkways, Roof Access Walkways **and many more.**

Grating Tasmania - Phone. 03 6272 2107

Mobile. 0408 136 668

Fax. 03 6272 2200

www.gratingtasmania.com.au